



GUIA DE LUBRICACIÓN

| MODELO | NORMA REQUERIDA | LUBRICANTE SHELL |
|--|--|--|
|  <p>KONA</p> | <p>ACEA C2/C5</p> |  <p>HELIX ULTRA ECT 0W-30</p> |
|  <p>IONIQ HYBRID</p> | <p>ACEA A5</p> |  <p>HELIX ULTRA PRO AF 5W-30</p> |
|  <p>VELOSTER (Motor 2.0 / Motor 1.6 T-DGI)</p> | <p>ACEA A5 (o Sup). 5W-30 API SM ILSAC GF4 (o Sup)</p> |  <p>HELIX ULTRA PRO AF 5W-30</p> |
|  <p>VELOSTER N</p> | <p>0W-30 ACEA C2</p> |  <p>HELIX ULTRA ECT 0W-30</p> |





GUIA DE LUBRICACIÓN

| MODELO | NORMA REQUERIDA | LUBRICANTE SHELL |
|--|--|--|
|  <p>GRAND I10</p> | <p>API SM. ILSAC GF3, GF4 O Sup.</p> |  <p>HELIX ULTRA PLUS 5W-40</p> |
|  <p>CRETA</p> | <p>ACEA A5</p> |  <p>HELIX ULTRA PRO AF 5W-30</p> |
|  <p>TUCSON (NAFTA Motor 2.0/1.6 T-GDI)</p> | <p>5W-30 API SM. ACEA A5. ILSAC GF4 o Sup.</p> |  <p>HELIX ULTRA PRO AF 5W-30</p> |
|  <p>TUCSON (DIESEL)</p> | <p>ACEA C2</p> |  <p>HELIX ULTRA ECT 0W-30</p> |



Shell
HELIX





GUIA DE LUBRICACIÓN

| MODELO | NORMA REQUERIDA | LUBRICANTE SHELL |
|---|--|--|
|  <p>SANTA FE (NAFTA)</p> | <p>API SM 5W-30, ACEA A5. ILSAC GF4 O Sup.</p> |  <p>HELIX ULTRA PRO AF 5W-30</p> |
|  <p>SANTA FE (DIESEL)</p> | <p>ACEA B4 s/ filtro de partículas</p> |  <p>HELIX ULTRA PLUS 5W-40</p> |
|  <p>NEW SANTA FE (NAFTA)</p> | <p>API SM 5W-30, ACEA A5. ILSAC GF4 O Sup.</p> |  <p>HELIX ULTRA PRO AF 5W-30</p> |
|  <p>NEW SANTA FE (DIESEL)</p> | <p>0W-30 ACEA C2/C3</p> |  <p>HELIX ULTRA ECT 0W-30</p> |





**Shell
HELIX**





GUIA DE LUBRICACIÓN

| MODELO | NORMA REQUERIDA | LUBRICANTE SHELL |
|---|--|---|
|  <p>GRAND SANTA FE (NAFTA)</p> | <p>API SM 5W-30, ACEA A5. ILSAC GF4 O Sup.</p> |  <p>HELIX ULTRA PRO AF 5W-30</p> |
|  <p>GRAND SANTA FE (DIESEL)</p> | <p>ACEA B4</p> |  <p>HELIX ULTRA PLUS 5W-40</p> |
|  <p>H1 (NAFTA)</p> | <p>API SL, SM o Sup. ILSAC GF3; GF4 o Sup.</p> |  <p>HELIX ULTRA PLUS 5W-40</p> |
|  <p>H1 (DIESEL)</p> | <p>ACEA B4</p> |  <p>HELIX ULTRA PLUS 5W-40</p> |



**Shell
HELIX**

HYUNDAI



GUIA DE LUBRICACIÓN

| MODELO | NORMA REQUERIDA | LUBRICANTE SHELL |
|---|-----------------|---|
|  <p>NEW H1 (DIESEL)</p> | 0W-30 ACEA C3 |  <p>HELIX ULTRA ECT 0W-30</p> |



Shell
HELIX



HYUNDAI



GUIA DE LUBRICACIÓN

| MODELO | NORMA REQUERIDA | LUBRICANTE SHELL |
|--|-------------------------|--|
|  <p>H-100</p> | <p>ACEA B4</p> |  <p>HELIX ULTRA PLUS 5W-40</p> |
|  <p>HD-78</p> | <p>EURO 3. API CI 4</p> |  <p>RIMULA R 4 X 15W-40</p> |
|  <p>HD-65</p> | <p>EURO IV. API CJ4</p> |  <p>RIMULA R 6 LM 10W-40</p> |
|  <p>H350</p> | <p>0W-30 ACEA C3</p> |  <p>HELIX ULTRA ECT 0W-30</p> |



Shell
HELIX

